



SAFETY DATA SHEET	Issue No: 6	Date: 15/04/08
--------------------------	-------------	----------------

ALTROFIX A19 Part B

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME:	ALTROFIX A19 part B
PRODUCT TYPE/USE:	HARDENER FOR EPOXY-POLYURETHANE ADHESIVE PART 2 OF 2 PARTS
EMERGENCY TEL NOS:	01462 480480 01462 489269
SUPPLIER:	ALTRO FLOORS WORKS ROAD LETCHWORTH GARDEN CITY HERTS SG6 1NW
TELEPHONE:	01462 480480
FAX:	01462 480010
CONTACT PERSON:	BARRY HALL
MANUFACTURER:	Please contact Altro for details.

2. HAZARDS IDENTIFICATION

The product is harmful following acute exposure to it and poses a serious health threat if ingested or brought into contact with the skin.
The product is corrosive and, if brought into contact with the skin, causes burning, with the destruction of the entire thickness of skin tissue.
If brought into contact with the skin, the product may cause sensitisation of the skin.
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components within the meaning of EEC directive 67/548 and corresponding classification:

50% - 69.99%	3-aminomethyl-3,5,5-trimethylcyclohexylamine		
	N. EEC/67/548: 612-067-00-9	CAS: 2855-13-2	EINECS: 220-666-8
	C R21/22 R34 R43 R52/53		
20% - 24.99%	2,4,6-tris(dimethylaminomethyl)phenol		
	N. EEC/67/548: 603-069-00-0	CAS: 90-72-2	EINECS: 202-013-9
	Xn R22 R36/38		
5% - 9.99%	benzyl alcohol		
	N. EEC/67/548: 603-057-00-5	CAS: 100-51-6	EINECS: 202-859-9
	Xn R20/22		
5% - 9.99%	nonylphenol		
	N. EEC/67/548: 601-053-00-8	CAS: 25154-52-3	EINECS: 246-672-0
	C N R22 R34 R50/53		
1% - 2.49%	bis[(dimethylamino)methyl]phenol		
	CAS: 71074-89-0	EINECS: 275-162-0	
	C R34		



4. FIRST AID MEASURES

SKIN CONTACT:	Immediately take off all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. CONSULT A PHYSICIAN IMMEDIATELY.
EYE CONTACT:	Wash immediately and thoroughly with running water, keeping eyelids raised, for at least 10 minutes. Following this, protect the eyes with sterile gauze or a clean, dry handkerchief. OBTAIN A MEDICAL EXAMINATION Do not use eyewash or ointment of any kind before obtaining an examination or advice from an ophthalmologist.
INGESTION:	Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
INHALATION:	Administer water with albumen; do not administer bicarbonate. Ventilate the premises. The patient is to be removed immediately from the contaminated premises to rest in a well ventilated area. CALL A PHYSICIAN.

5. FIRE FIGHTING MEASURES

RECOMMENDED EXTINGUISHERS:	Water, CO ₂ , Foam, Chemical powders, according to the materials involved in the fire.
EXTINGUISHERS NOT TO BE USED:	None in particular.
RISKS ARISING FROM COMBUSTION:	The original ingredients or unidentified toxic and/or irritant compounds may be present in the combustion fumes. Nitrogen oxide may be present in the combustion fumes. Avoid inhaling the fumes.
PROTECTIVE EQUIPMENT:	Use protection for the airways.

6. ACCIDENTAL RELEASE MEASURES

MEASURES FOR PERSONAL SAFETY:

Use a mask, gloves and protective clothing.

ENVIRONMENTAL MEASURES:

Limit leakages with earth or sand.

If the product has escaped into a water course, into drainage system, or has contaminated the ground or vegetation, notify the competent authorities.

CLEANING METHODS:

Rapidly recover the product. To do so, wear protective clothing. If the product is in a liquid form, stop it from entering the drainage system. Recover the product for re-use if possible, or for elimination. The product might, where appropriate, be absorbed by inert material.

After the product has been recovered, rinse the area and materials involved with water.

7. HANDLING AND STORAGE

HANDLING PRECAUTIONS:	Avoid contact and inhalation of the vapours. See also section 8 below. Do not eat or drink while working.
INCOMPATIBLE MATERIALS:	None in particular.
STORAGE CONDITIONS:	Keep in cool, dry, ventilated storage. Always keep the containers tightly closed.



8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

PRECAUTIONARY MEASURES:

Give adequate ventilation to the premises where the product is stored and/or handled.

RESPIRATORY PROTECTION:

Not needed for normal use.

Use AP2 filters (EN 141).

In case of insufficient ventilation use mask with AK2 filters (EN 141).

PROTECTION FOR HANDS:

Use protective rubber gloves.

The use of LLPDE (0.06mm), nitrile (0.4) or butyl (0.5mm) gloves is suggested.

Latex gloves are not recommended.

EYE PROTECTION:

Safety goggles.

PROTECTION FOR SKIN:

Use clothing that provides comprehensive protection to the skin.

All the individual protection devices must be consistent to CE relevant standards (as EN 374 for gloves and EN 166 for goggles), maintained efficient and stored in an appropriate way. The life of the protection devices against the chemical agents depends on various factors (the way they are used, climatic factors and storage conditions), that can remarkably reduce also the life foreseen by CE standards. The consultation of the supplier of the protection devices is always recommended. The education of the worker to the use of the equipment devices is mandatory.

EXPOSURE LIMIT VALUE OF SINGLE COMPONENTS:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Liquid. Contained in a small plastic bottle inside tub of Part A.
COLOUR:	Brown.
ODOUR/TASTE:	Ammonia.
pH:	10.5-11.5
MELTING POINT:	- °C
FLASH POINT:	>100°C
AUTOIGNITION TEMPERATURE:	- °C
EXPLOSION LIMITS (BY VOLUME):	-
SOLUBILITY IN WATER:	Partly soluble.
LIPID SOLUBILITY:	Soluble.
DENSITY/SPECIFIC GRAVITY (g/cm³):	0.92 (23°C)
VISCOSITY:	30 mPa.s (23°C)

10. STABILITY AND REACTIVITY

CONDITIONS TO AVOID:

Stable under normal conditions.

It may generate flammable gases on contact with elementary metals (alkalis and alkaline earth) and powerful reducing agents.

It may generate toxic gases on contact with oxidising mineral acids, halogenated organic substances, organic peroxides and hydroperoxides, and powerful oxidising agents. It may catch fire on contact with powerful oxidising agents.



11. TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY:

Ingestion: Yes.
Inhalation: Yes.
Contact: Yes.

TOXICOLOGICAL INFORMATION RELATED TO THE PRODUCT:

No toxicological data is available at the moment on the product itself.

The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the preparation.

3-aminomethyl-3,5,5-trimethylcyclohexylamine:

LD50 (rat) oral: 1030 mg/kg.

CORROSIVE/IRRITATING PROPERTIES:

Skin: The product can cause burns by contact.
Eye: The product can cause damage to eyes by contact.

SENSITISING PROPERTIES:

Frequent contact may cause sensitisation.

CANCEROGENIC EFFECTS:

No effects are known.

MUTAGENIC EFFECTS:

No effects are known.

TERATOGENIC EFFECTS:

No effects are known.

ADDITIONAL INFORMATION:

Susceptibility to skin irritation and sensitisation varies from person to person.

In a sensitised individual the allergic dermatitis may not appear until after several days or weeks of frequent and prolonged contact.

Therefore, even though the skin irritation potential is slight, skin contact should be avoided. Once sensitisation has occurred, exposure of the skin to very small quantities of the material may cause erythema and edema.

12. ECOLOGICAL INFORMATION

Although no experimental data is available, the product is expected to be only partly biodegradable. Adopt sound working practices, so that the product is not released into the environment.

List of environmentally dangerous substances contained in this preparation and their classification:

50% - 69.99% 3-aminomethyl-3,5,5-trimethylcyclohexylamine

N. EEC/67/548: 612-067-00-9 CAS: 2855-13-2 EINECS: 220-666-8

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

5% - 9.99% nonylphenol

N. EEC/67/548: 601-053-00-8 CAS: 25154-52-3 EINECS: 246-672-0

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Recover if possible. Send to authorised disposal plants or for incineration under controlled conditions. In doing so, comply with the local and national regulations currently in force.

Disposal of not hardened product (EC waste code): 08 04 09

The suggested European waste code is based on the composition of the product.

According to the specific process or application field a different waste code may be necessary.



14. TRANSPORT INFORMATION

UN Number: 2735
Rail/Road (RID/ADR): 8,III
LIMITED QUANTITY (3.4.6. ADR e 3.4.2. IMDG)
Sea (IMO/IMDG): 8,III
Dangerous goods in limited quantities
EMS No: (F-A, S-B)
MAR/POL 73/78, Annex III: No
Air (ICAO/IATA): 8,III

15. REGULATORY INFORMATION

Classification and labelling according to EC Directive 99/45:

SYMBOLS:

C Corrosive
N Dangerous for the environment

RISK PHRASES:

R34 Causes burns.
R21/22 Harmful in contact with skin and if swallowed.
R43 May cause sensitisation by skin contact.
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY PHRASES:

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28 After skin contact, wash immediately with plenty of water and soap.
S45 In case of accident or if you feel unwell, seek medical advice immediately, (show the label where possible).
S61 Avoid release to the environment. Refer to special instructions/safety data sheets.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

CONTENTS:

3-aminomethyl-3,5,5-trimethylcyclohexylamine
nonylphenol
2,4,6-tris(dimethylaminomethyl)phenol

16. OTHER INFORMATION

INFORMATION SOURCES: Material Safety Data Sheet - manufacturers dated 04/03/2005, version 6.

TEXT OF R PHRASES REFERRED TO UNDER HEADING 2:

R21/22 Harmful in contact with skin and if swallowed.
R34 Causes burns.
R43 May cause sensitisation by skin contact.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R22 Harmful if swallowed.
R36/38 Irritating to eyes and skin.
R20/22 Harmful by inhalation and if swallowed.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

REVISION DATE: 15/04/08

SDS INITIALLY GENERATED: 30/7/96

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release, and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.