

## **JM500 ACRYLIC ADHESIVE COSHH SHEET**

### 1. Identification

Material:- JM500 Acrylic Flooring Adhesive.

Ref:-jma – 1

Date of issue- 04.01.02

Company – Morleys LTD  
Unit 2 Higher Walton Mill, Higher Walton, Preston, PR5 4DJ

Tel – 01772 626700

Fax – 01772 672372

### 2. Composition

Adhesive preparation containing a blend of aqueous acrylic emulsion, resins, mineral filler and surfactants.

### 3. Hazards Identification

On available data this product is not a dangerous preparation in the sense of the EC-Directive on Classification and Declaration.

### 4. First Aid Measures

Inhalation – Proceed to fresh air.

Skin Contact - Wash affected area of skin with plenty of soap and water.

Eye Contact – Irrigate immediately with plenty of water or proprietary eye wash and seek medical help.

Ingestion – Do not induce vomiting. Clean out mouth with water and discard, then give water to drink. Seek medical help.

### 5. Fire Fighting Measures.

Product is water based and non-flammable.

### 6. Accidental Release Measures.

Prevent spillage from entering drains or other water courses. Scoop up, then soak up the remainder with earth or sand and allow to dry

### 7. Handling and Storage.

7.1 Handling – Wash hands before breaks and end of work. Avoid smoking, eating or drinking during handling and avoid contact with skin or eyes.

7.2 Storage – Keep container properly sealed and at a temperature between 5°C and 30°C. Protect containers from mechanical damage.

### 8. Exposure Controls and Personal Protection.

8.1 – Ensure provision of a well-ventilated area of work.

8.2 – Wear suitable protective clothing.

#### 9. Physical and Chemical Appearance.

<b>Appearance</b>	Milky white fluid
<b>Odour</b>	Slightly Ammonia
<b>pH</b>	8.5 – 9.5
<b>Flash Point</b>	Not Applicable
<b>Ignition Temperature</b>	Not Applicable
<b>Explosion Temperature</b>	Not Applicable
<b>Boiling Point Range</b>	100°C (as water)
<b>Freezing Point Range</b>	0°C (as water)
<b>Specific Gravity</b>	Approx. 1.2
<b>Viscosity</b>	Approx. 45,000 cpts at 20°C

#### 10. Stability and reactivity.

No thermal decomposition, hazardous decomposition products or hazardous reactions when stored and used as designated. Avoid contact with strong acids, metals and materials which react with water.

#### 11. Toxicological Information.

According to our present knowledge and practical experience this product is not expected to be harmful to health when properly used as designated.

Ingestion – Not evaluated but would expect gastric discomfort.

Eyes – Possible irritant.

Skin – Frequent or prolonged contact may cause irritation.

#### 12. Ecological Information.

Not established. Product should not be discharged to surface water. Do not allow to enter sewers or watercourses

#### 13. Disposal Considerations.

Dispose of material in accordance with national and local regulations for waste materials.

#### 14. Transport Information.

Not classified as dangerous for transportation.

#### 15. Regulatory Information.

Not classified as dangerous for supply. No labeling as required.

#### 16. Other Information

Application – Flooring adhesive.

LEGAL DISCLAIMER – The above information is believed to be correct but does not purport to be all-inclusive and shall only be used as a guide. Morleys Ltd, shall not be held liable for any damages resulting from handling or contact