

Safety Data Sheet

UZIN-L 3 Gold Component A

2-component Smoothing Compound



Version: 01	revised: 10/02/03	replacement version: --	page 1 of 3
-------------	-------------------	-------------------------	-------------

1. Identification of the product and company

1.1 Product name

UZIN-L 3 Gold Component A 2-component Smoothing Compound.

1.2 Manufacturer

UZIN UTZ AG.
Dieselstraße 3
D-89079 Ulm
Tel.: +49 731 4097-0
Fax: +49 731 4097-110

In the UK:

UZIN Ltd., 7/8 Cholswell Court Shippon, Abingdon, OX 13 6 HW
Tel. 01235/53 41 06
Fax 01235/53 41 07

Information Services:

UZIN UTZ AG, Product Security Department: tel.: +49 731 4097-207

2. Composition/information on ingredients

Contains fluid, synthetic resin dispersions based on polystyrene/polyacrylate-copolymer.
Solvent-free, GISCODE D 1 (contains no liquid, organic compounds with a boiling-point < 200 °C).

3. Hazards identification

The product is not a hazardous preparation in the sense of the Hazardous Substance Regulations. Contains no liquid solvents or hazardous substances which could lead to dangerous concentrations during handling or use. Therefore, from the beginning, it is impossible for the Occupational Exposure Limits (OEL) to be exceeded. The relevant special conditions and duties in the Hazardous Substances Regulations do not apply. The normal precautionary measures for dealing with chemicals must, however, be observed.

4. First-aid measures

After skin contact: Wash with water and soap.
After contact with eyes: Rinse thoroughly with water and consult a doctor.
After swallowing: Do not induce vomiting, medical help is necessary, show this label/safety data sheet.

5. Fire-fighting measures

No special measures required. Extinguishing agents should be appropriate for the location.

6. Accidental release measures

Mechanically remove the spilled material, soak up any residue (e.g. with sand or saw-dust) and dispose according to local and national disposal regulations. Do not allow to disperse into water systems.

7. Handling and storage

7.1 Handling

Avoid contact with eyes and skin. Provide adequate ventilation.

Safety Data Sheet

UZIN-L 3 Gold Component A

2-component Smoothing Compound



Version: 01	revised: 10/02/03	replacement version: --	page 2 of 3
-------------	-------------------	-------------------------	-------------

7.2 Storage
Protect from frost.

8. Exposure limits / personal protection

8.1 Exposure limits

Ingredients with limit values that require monitoring at the workplace: None.

8.2 Personal protection

Avoid contact with eyes and skin. Wash hands before breaks and after finishing work. Provide good ventilation. Protection of hands: Barrier cream, protective gloves are recommended in case of prolonged contact with product.

9. Physical and chemical properties

Form:	liquid
Colour:	white
Odour:	slight
Density (20°C):	1,0 g/cm ³
Vapour pressure (20°C):	app. 23 mbar (water)
Viscosity:	not determined
Solubility in water (20°C):	miscible
Flash point:	not applicable
Ignition temperature:	not applicable
Explosion limits:	no explosion risk
pH-value:	app. 8

10. Stability and reactivity

When used as stated, produces no thermal decomposition, no hazardous products of decomposition and no hazardous reactions.

11. Toxicological information

According to our experience and available information, this product causes no health risk when properly handled and used as stated. Very long exposure to the product can cause skin and eye irritation. The cured, solidified product is non-irritant.

12. Ecological information

Do not allow the product to disperse into drains, sewers or ground. Water contaminant classification (German WGK) = 1, weak water contaminant (self-classification according German VwVwS of 17/05/99).

13. Disposal considerations

Where possible, collect product residues and re-use. Do not allow to disperse into drains, sewers or ground. Empty, scraped and drip-free plastic containers are recyclable. Containers with liquid residues are special waste, those with hardened residues are construction waste. Collected, liquid product residues are special waste.

14. Transport information

Not hazardous goods according to transport regulations: Road Transport (ADR/RID), Sea Transport (IMDG), Air Transport (IATA/ICAO).

Safety Data Sheet
UZIN-L 3 Gold Component A
2-component Smoothing Compound



Version: 01	revised: 10/02/03	replacement version: --	page 3 of 3
-------------	-------------------	-------------------------	-------------

15. Regulatory information

Labelling according to EU guidelines: None.

The normal precautionary measures when dealing with chemicals should be observed.

16. Other information

This safety data sheet corresponds with the current version of regulation 91/155/EEC.

Produced by the UZIN Product Security Department. We shall be pleased to provide further information on telephone number +49 731/4097-207.

If you require a personal consultation, e.g. in conjunction with project orders, then you will find competent advisers in our Technical Division of UZIN UK. For installation or product-related queries, please call: 01235/53 41 06

Printing date: 01/06/2004

Safety Data Sheet

UZIN-L3 Gold Component B

2-component Smoothing Compound



Version: 01	revised: 10/02/03	replacement version: --	page 1 of 3
-------------	-------------------	-------------------------	-------------

1. Identification of the product and company

1.1 Product name

UZIN-L3 Gold Component B 2-component Smoothing Compound.

1.2 Manufacturer

UZIN UTZ AG.
Dieselstraße 3
D-89079 Ulm
Tel.: +49 731 4097-0
Fax: +49 731 4097-110

In the UK:

UZIN Ltd., 7/8 Cholswell Court Shippon, Abingdon, OX 13 6 HW
Tel. 01235/53 41 06
Fax 01235/53 41 07

Information Services:

UZIN UTZ AG, Product Security Department: tel.: +49 731 4097-207

2. Composition/information on ingredients

Cement smoothing compound based on special cements, quartz sand and chalk.
Low in chromate. GISCODE ZP1.

Hazardous substances	CAS-No.	EINECS-No.	% - share	Classification*
Portland cement	65997-15-1	-	25-50	Xi R 38, 41

* For the wording of the R-phrases see section 16.

3. Hazards identification

The cement content in this product makes the following labelling required:

Xi Irritant. Contains cement.

Special hazard instructions:

R 38 Irritating to skin
R 41 Risk of serious damage to eyes

4. First-aid measures

After skin contact: Wash with water and soap.
After contact with eyes: Rinse thoroughly with water and consult a doctor.
After swallowing: Consult a doctor, show this label / safety data sheet..

5. Fire-fighting measures

No special measures required. Extinguishing agents should be appropriate for the location.

6. Accidental release measures

Collect together spilled material and dispose according to local and national disposal regulations. Avoid producing dust. Do not allow to disperse into water systems.

Safety Data Sheet

UZIN-L3 Gold Component B

2-component Smoothing Compound



Version: 01	revised: 10/02/03	replacement version: --	page 2 of 3
-------------	-------------------	-------------------------	-------------

7. Handling and storage

7.1 Handling

Avoid producing dust as well as contact with eyes and skin. When mixing wear a protective dust-mask. At breaks and end of work, wash hands and apply skin cream.

7.2 Storage

Protect from water and moisture.

8. Exposure limits / personal protection

8.1 Exposure limits

Ingredients with limit values that require monitoring at the workplace:

Hazardous substances	CAS-No.	% - share	OEL
Quartz	14808-60-7	50-75	0,15 mg/m ³ (dust)

Observe the general dust limit value (6mg/m³).

8.2 Personal protection

Avoid contact with eyes and skin. When mixing wear a protective dust-mask. At breaks and end of work, wash hands and apply skin cream.

9. Physical and chemical properties

Form:	Powder
Colour:	grey
Odour:	of cement
Bulk density:	app. 1100 kg/m ³
Solubility in water (20°C):	Sets hydraulically with water
Flash point:	not applicable
Ignition temperature:	not applicable
Explosion limits:	no risk of explosion
pH-value:	app. 12

10. Stability and reactivity

When used as stated, produces no thermal decomposition, no hazardous products of decomposition and no hazardous reactions.

11. Toxicological information

The product reacts with water and moisture to produce strong alkaline and long exposure can, therefore, lead to irritation of the skin. To avoid skin irritation, the wearing of protective gloves during work, and the use of barrier cream before and after work, are recommended. The cured, solidified product is non-irritant.

The product is low in chromate content. GISCODE ZP 1.

12. Ecological information

Do not allow the product to disperse into drains, sewers or ground. Water contaminant classification (German WGK) = 1, weak water contaminant (self-classification according German VwVwS of 17/05/99).

13. Disposal considerations

Where possible, collect product residues and re-use. Do not allow to get into drains, sewers or ground. Empty, dust-free paper packaging is recyclable. Collect waste product, mix with water, allow to harden and dispose as construction waste.

Safety Data Sheet

UZIN-L3 Gold Component B

2-component Smoothing Compound



Version: 01	revised: 10/02/03	replacement version: --	page 3 of 3
-------------	-------------------	-------------------------	-------------

14. Transport information

Not hazardous goods according to transport regulations: Road Transport (ADR/RID), Sea Transport (IMDG), Air Transport (IATA/ICAO).

15. Regulatory information

Labelling according to EU guidelines:

Code letter and hazard designation of product:

Xi Irritant. Contains cement.

Special hazard instructions:

R-Phrases:

R 38 Irritating to skin

R 41 Risk of serious damage to eyes

S- Phrases:

S 2 keep out of reach of children

S 24/25 avoid contact with skin and eyes

S 26 In case of contact with eyes rinse immediately with plenty of water and seek medical advice

S 36/37 Wear suitable protective clothing and gloves

16. Other information

This safety data sheet corresponds with the current version of regulation 91/155/EEC.

Produced by the UZIN Product Security Department. We shall be pleased to provide further information on telephone number +49 731/4097-207.

If you require a personal consultation, e.g. in conjunction with project orders, then you will find competent advisers in our Technical Division of UZIN UK. For installation or product-related queries, please call: 01235/53 41 06

Wording of R-phrases quoted in section 2: *

R 38 Irritating to skin

R 41 Risk of serious damage to eyes

* Please note that these R-phrases refer to the **individual components** of the preparation. The classification of the preparation (product) and its relevant R-phrases are specified in section 3 and section 15, resp.

Printing date: 01/06/2004